

STANLEY® NO. 4 SWEETHEART SMOOTHING BENCH PLANE

- Iron is made from extra-thick 1/8" (3.18 mm) A2 steel for excellent edge retention.
- One-piece base and frog virtually eliminate chatter.
- Cherrywood handle and knob for comfort.
- Norris-type adjuster with lateral locking feature.
- Adjustable throat plate for different types of wood.



| Product # | Type | Length | Width | Cutter Width |
|-----------|----------|--------------------|------------------|--------------|
| 12-136 | #4 Bench | 10-5/8 in (270 mm) | 2-1/2 in (64 mm) | 2 in (51 mm) |

STANLEY® NO. 62 SWEETHEART LOW ANGLE JACK PLANE

- Iron is made from extra-thick 1/8" (3.18 mm) A2 steel for excellent edge retention.
- Cherry wood handle and knob for comfort.
- Norris type adjustment for ease of use.
- Adjustable throat plate for different types of wood.



| Product # | Type | Length | Width | Cutter Width |
|-----------|----------|----------------|------------------|--------------|
| 12-137 | #62 Jack | 14 in (356 mm) | 2-1/2 in (64 mm) | 2 in (51 mm) |

STANLEY® SWEETHEART BLOCK PLANES

- Iron is made from extra-thick 1/8" (3.18 mm) A2 steel for excellent edge retention.
- Precision ground ductile cast iron base for accuracy.
- Norris-type adjuster with lateral locking feature.



| Product # | Type | Length | Width | Cutter Width |
|--|-------------------------|--------------------|------------------|------------------|
| 12-138 | #9-1/2 Block | 6-7/16 in (164 mm) | 2-1/8 in (54 mm) | 1-5/8 in (41 mm) |
| 12-139 | #60-1/2 Low Angle Block | 6-1/2 in (165 mm) | 2-1/8 in (54 mm) | 1-5/8 in (41 mm) |
| 12° low-angle bed ideal for cutting end grain. | | | | |

STANLEY® NO. 92 SWEETHEART SHOULDER/CHISEL PLANE

- Dual purpose – converts from a shoulder plane to a chisel plane.
- Iron is made from extra-thick 1/8" (3.18 mm) A2 steel for excellent edge retention.
- Precision ground cast-iron base for accuracy.
- Finger grips for control.



| Product # | Type | Length | Width | Cutter Width |
|-----------|---------------------|--------------------|----------------|----------------|
| 12-140 | #92 Shoulder/Chisel | 6-3/16 in (157 mm) | 3/4 in (19 mm) | 3/4 in (19 mm) |



STANLEY® BAILEY® BENCH PLANES

- Gray, cast iron base with precision ground sides and bottom.
- Durable coating on cast iron base provides long-lasting protection.
- Frog seat holds the plane cutter at a 45° angle and is adjustable to allow for adjustment between the cutting edge and the front of the mouth.
- Solid brass depth adjustment knob.
- Depth adjustment knob and lateral alignment lever, offer precise control of the cutter.
- Quick-release lever cap makes cutter removal easy.
- Cap iron makes the blade more rigid and helps to curl and break apart wood shavings as they pass through the mouth.
- The knob and handle are contoured and made of polished high-impact plastic.
- Works with this standard Stanley® cutter blade (12-313).
- Cutter Blade Included (12-313): 1.



12-904



12-905

| Product # | Type | Length | Width | Cutter Width |
|-----------|--------------|---------------------|------------------|--------------|
| 12-904 | No. 4 Smooth | 9-11/16 in (242 mm) | 2-1/2 in (64 mm) | 2 in (51 mm) |
| 12-905 | No. 5 Jack | 14 in (356 mm) | 2-1/2 in (64 mm) | 2 in (51 mm) |

STANLEY® BAILEY® BLOCK PLANES

- Ideal for planing end grain and plastic materials.
- 12-920 block plane has a fully adjustable cutter resting at 21°.
- 13-1/2° low-angle cutter on the 12-960 block plane keeps vibration to a minimum, creating a fine finish.
- Gray, cast-iron base with precision-ground sides and bottom.
- Finger grips machined into sides make single-handed use easy.
- Hardened, tempered steel gives precision-ground cutter edge durability.
- Cutter adjusts for depth and alignment, offering precise control.
- Durable epoxy coating for long-lasting protection.
- Quick-release cam lock makes iron removal easy.
- Replacement Iron 12-508 for 12-920, 12-504 for 12-960.



12-960



12-920

| Product # | Type | Length | Width | Cutter Width |
|-----------|-----------------|--------------------|------------------|------------------|
| 12-920 | Block | 6-5/16 in (161 mm) | 2 in (51 mm) | 1-5/8 in (41 mm) |
| 12-960 | Low Angle Block | 6-1/4 in (159 mm) | 1-3/4 in (44 mm) | 1-3/8 in (35 mm) |

STANLEY® SMOOTHING BENCH PLANES

- Gray, cast iron base with precision ground sides and bottom.
- Durable coating on cast iron base provides long-lasting protection.
- Cutter is made out of hardened, tempered high-carbon chrome steel.
- The knob and handle are contoured and made of polished high-impact plastic.

12-204

- Frog seat holds the plane cutter at a 45° angle and is adjustable to allow for adjustment between the cutting edge and the front of the mouth.
- Depth adjustment knob and lateral alignment lever, offer precise control of the cutter.
- Quick-release lever cap makes cutter removal easy.
- Cap iron makes the blade more rigid and helps to curl and break apart wood shavings as they pass through the mouth.
- Works with this standard Stanley® cutter blade (12-313).
- Cutter Blade Included (12-313): 1.

12-404

- Frog seat holds the plane cutter at a 45° angle.
- Manual depth/lateral alignment nuts, offer precise control of the cutter.
- Clamping screw allows for quick release of the lever cap for easy cutter removal.
- Cutter Blade Included: 1.



| Product # | Type | Length | Width | Cutter Width |
|-----------|--------|-------------------|------------------|--------------|
| 12-204 | Smooth | 9-3/4 in (248 mm) | 2-1/2 in (64 mm) | 2 in (51 mm) |
| 12-404 | Smooth | 9-3/4 in (248 mm) | 2-1/2 in (64 mm) | 2 in (51 mm) |

STANLEY® ADJUSTABLE BLOCK PLANES

- Gray, cast iron base with precision ground sides and bottom.
- Durable coating on cast iron base provides long-lasting protection.
- Cutter rests at a 21° angle.
- Cutter is made out of hardened, tempered high-carbon chrome steel.
- Cast in finger rest at front of plane adds comfort and control.

12-220

- Solid brass depth adjustment knob.
- Depth adjustment knob and lateral alignment lever, offer precise control of the cutter.
- Quick-release lever cap makes cutter removal easy.
- Works with this standard Stanley® cutter blade (12-508).
- Cutter Blade Included (12-508): 1.

12-247

- Manually adjust clamping wheel for depth adjustment and lateral alignment, offer precise control of the cutter.
- Works with this standard Stanley® cutter blade (12-331).
- Cutter Blade Included (12-331): 1.



| Product # | Type | Length | Width | Cutter Width |
|-----------|-------|-------------------|--------------|------------------|
| 12-220 | Block | 7 in (178 mm) | 2 in (51 mm) | 1-5/8 in (41 mm) |
| 12-247 | Block | 6-7/8 in (175 mm) | 2 in (51 mm) | 1-5/8 in (41 mm) |

STANLEY® SMALL TRIMMING PLANE

- Metal base with durable coating provides long-lasting protection.
- Circular ridges on the side for fingers to provide easy one handed use and a slip resistant grip.
- Cutter rests at a 21° angle.
- Cutter is made out of hardened, tempered high-carbon chrome steel.
- Clamping screw allows for quick release of the lever cap for easy cutter removal
- Cutter Blade Included: 1.



| Product # | Type | Length | Width | Cutter Width |
|-----------|----------|-------------------|------------------|--------------|
| 12-101 | Trimming | 3-5/16 in (84 mm) | 1-1/8 in (29 mm) | 1 in (25 mm) |

STANLEY® RB5™ PLANE

- Metal base with durable coating provides long-lasting protection.
- Ridges on the side for fingers to provide easy one handed use and a slip resistant grip.
- Dual-blade positioning for planing and bullnosing into corners.
- Cutter rests at a 45° angle in both positions.
- Cutter is made out of hardened, tempered high-carbon chrome steel.
- Quick, easy blade change.
- Convenient blade storage in handle.
- Cutter Blades Included: 2.



| Product # | Type | Length | Width | Cutter Width |
|-----------|----------------|---------------|------------------|--------------|
| 12-105 | Block/Bullnose | 6 in (152 mm) | 2-1/8 in (55 mm) | 2 in (51 mm) |

STANLEY® BULLNOSE RABBET PLANE

- One-piece cast iron body and handle.
- Durable coating on cast iron body and handle provides long-lasting protection.
- Dual-blade positioning for planing and bullnosing into corners.
- Cutter rests at a 45° angle in both positions.
- Cutter is made out of hardened, tempered high-carbon chrome steel.
- Clamping screw allows for quick release of the lever cap for easy cutter removal in both positions.
- Depth adjustment lever on rear planing cutter, offers precise control of the cutter.
- Fitted with a spur for work across the grain, removable depth gauge, and adjustable fence for use on either side of the plane.
- Cutter Blade Included: 1.



| Product # | Type | Length | Width | Cutter Width |
|-----------|-----------------|-------------------|------------------|------------------|
| 12-978 | Bullnose Rabbet | 9-7/8 in (251 mm) | 1-1/2 in (38 mm) | 1-1/2 in (38 mm) |



STANLEY® SPOKESHAVE - FLAT BASE

- One-piece cast iron body with double handles for control and efficiency.
- Raised handles protect users hands.
- Durable coating on cast iron base provides long-lasting protection.
- Manual depth/lateral alignment nuts, offer precise control of the cutter.
- Clamping screw allows for quick release of the lever cap for easy cutter removal.
- Cutter Blade Included: 1.



| Product # | Type | Length | Width | Cutter Width |
|-----------|------------------|----------------|------------------|------------------|
| 12-951 | Flat and Concave | 10 in (254 mm) | 1-5/8 in (41 mm) | 2-1/8 in (54 mm) |

STANLEY® SHARPENING SYSTEM


- Complete system for accurate and precise sharpening of chisel and plane cutter cutting edges.
- Guides user to achieve a precise sharp edge that is square to the blade.
- Features angle setting gauge with preset markings at the following angles for easy setup: 25°, 30°, and 35°.
- Suitable for use with chisel blades and plane cutters from 1/4" to 2-3/4" (4mm to 60mm).



| Product # | Contents |
|-----------|--|
| 16-050 | (1) 7-7/8 in (200 mm) x 2 in (51 mm) Oilstone (1) White Oil (1) Honing Guide |

STANLEY® REPLACEMENT BLOCK PLANE CUTTERS

- Made of hardened, tempered high-carbon chrome steel.
- Can be honed to a razor sharp edge.
- Cutters are fine rotary ground to a flat surface for easier sharpening.
- Cutters are supplied with an accurately ground edge of 25°, but before use an additional honed 30° angle is recommended.



| Product # | Blades per Pack | Width | Length | Blade Thickness | For Use In |
|-----------|-----------------|------------------|-------------------|------------------|----------------|
| 12-331 | 1 | 1-5/8 in (41 mm) | 4-3/8 in (111 mm) | 3/32 in (2.4 mm) | 12-247 |
| 12-504 | 1 | 1-3/8 in (35 mm) | 4-3/8 in (111 mm) | 3/32 in (2.4 mm) | 12-960 |
| 12-508 | 1 | 1-5/8 in (41 mm) | 4-3/8 in (111 mm) | 3/32 in (2.4 mm) | 12-220, 12-920 |

STANLEY® REPLACEMENT BENCH PLANE CUTTER

- Made of hardened, tempered high-carbon chrome steel.
- Can be honed to a razor sharp edge.
- Cutters are fine rotary ground to a flat surface for easier sharpening.
- Cutters are supplied with an accurately ground edge of 25°, but before use an additional honed 30° angle is recommended.



| Product # | Blades per Pack | Width | Blade Thickness | For Use In |
|-----------|-----------------|--------------|------------------|------------------------|
| 12-313 | 1 | 2 in (51 mm) | 3/32 in (2.4 mm) | 12-204, 12-904, 12-905 |



PLANE REPLACEMENT BLADES

| PLANE SKU | 12-313 High Carbon | 12-508 High Carbon | 12-504 High Carbon | 12-331 High Carbon |
|-----------|--------------------|--------------------|--------------------|--------------------|
| 12-904 | X | | | |
| 12-905 | X | | | |
| 12-920 | | X | | |
| 12-960 | | | X | |
| 12-204 | X | | | |
| 12-220 | | X | | |
| 12-247 | | | | X |

STANLEY® SURFORM® FILE

- Die-cast alloy body with metallic gray finish.
- High-impact ABS handle holds up to heavy use.
- Ribbed section on front of body permits two-hand use of tool by providing comfort and a slip-resistant grip.
- Great tool for use as a rasp on wood, plastic, soft metals, and many other materials.
- Works with these standard Stanley® Surform® blades: (21-293, 21-299).
- Stanley® Surform® Blade Included (21-293): 1.



| Product # | Type | Length | Width | Cutter Width |
|-----------|-------|--------------------|------------------|------------------|
| 21-295 | Plane | 17-1/4 in (438 mm) | 1-1/2 in (38 mm) | 1-5/8 in (41 mm) |

STANLEY® SURFORM® ROUND FILE

- High-impact ABS handle holds up to heavy use.
- Front grip can be removed for use in small holes.
- Useful for enlarging holes and smoothing out curved surfaces.
- Ideal for pipe installations in MDF, chipboard, drywall, or laminates.
- Works with this standard Stanley® Surform® blade (21-291).
- Stanley® Surform® Blade Included (21-291): 1.



| Product # | Type | Length | Handle Width | Cutter Width |
|-----------|-------|--------------------|------------------|----------------|
| 21-297 | Round | 15-5/8 in (398 mm) | 1-1/2 in (38 mm) | 5/8 in (16 mm) |

STANLEY® SURFORM® POCKET PLANE

- Die-cast alloy body with metallic gray finish.
- Contoured to fit in palm of hand.
- Designed for one handed use.
- Thumbscrew blade tension for quick blade replacement.
- Ideal for end-grain work, sheet rocking, and smoothing edges of laminates.
- Works with this standard Stanley® Surform® blade (21-398).
- Stanley® Surform® Blade Included (21-398): 1.



| Product # | Type | Length | Width | Cutter Width |
|-----------|--------------|---------------------|-------------------|------------------|
| 21-399 | Pocket Plane | 5-11/16 in (145 mm) | 1-9/16 in (40 mm) | 1-5/8 in (41 mm) |

STANLEY® SURFORM® SHAVER

- One-piece, high-impact ABS body.
- Simple, click-on blade replacement.
- Works on pull stroke.
- Works with this standard Stanley® Surform® blade (21-515).
- Stanley® Surform® Blade Included (21-515): 1.



| Product # | Type | Length | Width | Cutter Width |
|-----------|--------|-------------------|------------------|------------------|
| 21-115 | Shaver | 7-1/4 in (184 mm) | 1-1/2 in (38 mm) | 1-5/8 in (41 mm) |

STANLEY® SURFORM® REPLACEMENT BLADES



| Product # | Blade per Pack | Type | Cut | Length | Cutter Width | For Use In |
|---|----------------|-------------|-----------------|---------------------|------------------|----------------|
| 21-291 | 1 | Round | Standard | 10 in (254 mm) | 5/8 in (16 mm) | 21-297 |
| Heat-treated, round blade for enlarging holes and smoothing out curved surfaces. | | | | | | |
| 21-293 | 1 | Flat | Standard | 10 in (254 mm) | 1-5/8 in (41 mm) | 21-295, 21-296 |
| Heat-treated, all-purpose blade for use on wood, vinyl, plaster, thermalite, fiberglass, and vinyl flooring. Designed for working into edges, with teeth flush to the blade edge. | | | | | | |
| 21-299 | 1 | Half Round | Standard/Coarse | 10-1/16 in (255 mm) | 1-1/2 in (38 mm) | 21-295, 21-296 |
| Heat-treated, half round convex blade designed for faster stock removal and shaping curved edges. Ideal for work on fiberglass and removing filler (for cars and boats). | | | | | | |
| 21-398 | 1 | Pocket Flat | Fine | 5-7/16 in (138 mm) | 1-5/8 in (41 mm) | 21-399 |
| Heat-treated blade designed to produce a fine finish on hard woods, end grains, ceramics, and plaster. | | | | | | |
| 21-515 | 1 | Shaver | Standard | 2-5/16 in (59 mm) | 1-5/8 in (41 mm) | 21-115 |
| Heat-treated, curved blade speeds up stock removal. Works on pull stroke. | | | | | | |

STANLEY® SURFORM® HALF ROUND BLADES

- For use on metal and hard surfaces.



| Product # | Blades Included | Blade Length | Cutter Width | Style | Cut | Fits Tools |
|----------------|-----------------|----------------|------------------|-----------|----------|-------------------|
| 21-161A (Bulk) | 10 | 10 in (254 mm) | 1-1/2 in (38 mm) | 1/2 Round | Coarse | 21-295 and 21-296 |
| 21-299A (Bulk) | 10 | 10 in (254 mm) | 1-1/2 in (38 mm) | 1/2 Round | Standard | 21-295 and 21-296 |






STANLEY® SURFORM® FLAT BLADE

- All-purpose blade for use on wood, vinyl, plaster, thermalite, fiberglass and linoleum.
- Designed for working into edges, with teeth flush to the blade edge.



| Product # | Blades Included | Blade Length | Cutter Width | Style | Cut | Fits Tools |
|----------------|-----------------|----------------|------------------|-------|----------|-------------------|
| 21-293A (Bulk) | 10 | 10 in (254 mm) | 1-5/8 in (41 mm) | Flat | Standard | 21-295 and 21-296 |

STANLEY® SURFORM® TOOL AND BLADE CHART


| |  Standard Cut 21-293, 21-293A |  Half Round 21-299, 21-161A, 21-299A |  Round 21-291 |  Fine Cut 21-398 |  Curved 21-515 |
|-------------------|--|---|--|---|---|
| Hardwood | X | X | X | s | s |
| Softwood | X | X | X | s | s |
| End Grain | | | | X | |
| Chipboard | X | X | X | | X |
| Plywood | X | X | X | | X |
| Blockboard | X | X | X | | X |
| Vinyl | X | X | X | X | X |
| Rubber | X | X | X | | X |
| Plaster | X | X | X | X | X |
| Thermalite | X | X | X | | X |
| Chalk | X | X | X | | X |
| Fiberglass | X | X | X | | X |
| Brass | | | | X | |
| Lead | | | | X | X |
| Aluminum | | | | X | |
| Copper | | | | X | |
| Mild Steel | | | | X | |
| Plastic Laminates | | | | | X |
| Plastic Fillers | X | X | X | X | X |
| Nylon | X | X | X | | X |
| Vinyl Flooring | X | X | X | | X |
| For Use In | 21-296, 21-295 | 21-296, 21-295 | 21-297 | 21-399 | 21-115 |



STANLEY® SINGLE CUT MILL BASTARD FILES

- Flat file tapered in width and thickness for general material removal.
- Single-cut mill pattern for light removal of material.
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing.

| Product # | Cut | Length |
|-----------|--------|--------------------|
| 22-170 | Single | 6 in (152 mm) |
| 22-171 | Single | 8 in (203 mm) |
| 22-172 | Single | 9-7/8 in (251 mm) |
| 22-173 | Single | 11-7/8 in (302 mm) |



STANLEY® DOUBLE CUT FLAT BASTARD FILES

- Flat file parallel in width and tapered in thickness for general material removal.
- Double-cut pattern for moderate removal of material.
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing.



| Product # | Cut | Length | Width | Thickness |
|-----------|--------|----------------|-------------------|---------------|
| 22-174 | Double | 6 in (152 mm) | 13/16 in (200 mm) | 1/8 in (3 mm) |
| 22-175 | Double | 7 in (178 mm) | 13/16 in (200 mm) | 1/8 in (3 mm) |
| 22-176 | Double | 10 in (254 mm) | 13/16 in (200 mm) | 1/8 in (3 mm) |

STANLEY® SINGLE CUT ROUND BASTARD FILES

- Round file tapered in width and thickness for enlarging round holes or cutting a scalloped edge.
- Single-cut mill pattern for light removal of material.
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing.



| Product # | Cut | Length |
|-----------|--------|-------------------|
| 22-307 | Single | 5-7/8 in (150 mm) |
| 22-098 | Single | 8 in (203 mm) |
| 22-178 | Single | 10 in (254 mm) |

STANLEY® SINGLE CUT SLIM TAPER FILES

- Triangle-shaped file gradually tapered in width and thickness for cutting angles less than 90 degrees.
- Single-cut mill pattern for light removal of material.
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing.



| Product # | Type | Cut | Length |
|-----------|------------------------|--------|---------------|
| 22-306 | Slim Taper | Single | 6 in (152 mm) |
| 22-312 | Extra Slim Taper | Single | 6 in (152 mm) |
| 22-313 | Extra Extra Slim Taper | Single | 7 in (178 mm) |

STANLEY® HALF ROUND BASTARD FILES

- Half round file tapered in width and thickness for filing inside of rings and round holes.
- Double-cut pattern for moderate removal of material.
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing.



| Product # | Cut | Length |
|-----------|--------|-------------------|
| 22-308 | Double | 7-7/8 in (200 mm) |
| 22-099 | Double | 9-7/8 in (251 mm) |

STANLEY® HALF ROUND RASP FILE

- Half round file tapered in width and thickness for filing round holes.
- Rasp pattern for rapid removal of material.
- Bastard teeth spacing for general-purpose material removal.



| Product # | Cut | Length |
|-----------|------|---------------|
| 22-017 | Rasp | 8 in (203 mm) |

STANLEY® 4-IN-1 FILE

- 4 tools in 1 – ideal for woodworking or sharpening tools.
- Double-cut and rasp file for moderate and rapid removal of material.
- Half round and flat file for filing both flat surfaces and round holes.
- Bastard teeth spacing for general-purpose material removal.

| Product # | Cut | Length |
|-----------|---------------|---------------|
| 21-113 | Double & Rasp | 8 in (203 mm) |



STANLEY® BI-MATERIAL FILE HANDLE WITH 3 INSERTS

- Interchangeable file handle.
- Bi-Material handle reduces vibrations.
- Ergonomic, slip-resistant design for comfort.
- Hanger opening for easy storage.
- Includes 3 inserts that fit most files.

| Product # | Length | Handle Color |
|-----------|-------------------|--------------|
| 22-311 | 4-5/8 in (117 mm) | Yellow/Black |



STANLEY® BASTARD CUT MILL FILES WITH HANDLE

- Flat file tapered in width and thickness for general material removal.
- Single-cut mill pattern for light removal of material.
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing.
- Ergonomic Bi-Material handle reduces vibrations and is slip-resistant.
- Handle includes hanger opening for easy storage.

| Product # | Cut | Length |
|-----------|--------|-------------------|
| 22-018 | Single | 5-7/8 in (150 mm) |
| 22-019 | Single | 7-3/4 in (197 mm) |
| 22-020 | Single | 10 in (254 mm) |
| 22-021 | Single | 12 in (305 mm) |



STANLEY® SINGLE-CUT HANDY FILE WITH HANDLE

- Flat file tapered in width and thickness for general material removal.
- Single-cut mill pattern for light removal of material.
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing.
- Ergonomic handle is slip-resistant.

| Product # | Cut | Length |
|-----------|--------|-------------------|
| 21-106 | Single | 7-3/4 in (197 mm) |



5 PIECE STANLEY® FILE SET

Product #: 22-314

- Ideal for most sharpening and material removal needs.
- Round, flat and triangle files for filing flat, round and less than 90° angles.
- Includes 1 interchangeable Bi-Material file handle that reduces vibrations.

| Contents | Description |
|----------|---|
| 22-171 | (1) 7-13/16 in (198 mm) Mill Bastard File |
| 22-307 | (1) 5-3/4 in (146 mm) Round File |
| 22-306 | (1) 6 in (152 mm) Slim Taper File |
| 21-113 | (1) 8 in (203 mm) 4-in-1 File |
| 22-311 | (1) Interchangeable Handle with 3 Inserts |



4 PIECE STANLEY® FILE SET

Product #: 22-319

- Ideal for most sharpening and material removal needs.
- Round, flat and triangle files for filing flat, round and less than 90° angles.
- Includes 1 interchangeable Bi-Material file handle that reduces vibrations.

| Contents | Description |
|----------|---|
| 22-170 | (1) 5-7/8 in (150 mm) Mill Bastard File |
| 22-307 | (1) 5-7/8 in (150 mm) Round File |
| 22-306 | (1) 5-3/4 in (146 mm) Slim Taper File |
| 22-311 | (1) Interchangeable Handle with 3 Inserts |



6 PIECE STANLEY® HOBBY FILE SET

Product #: 22-316

- Needle files for small precision filing projects.
- Smooth pattern for light removal of material.
- Includes flat parallel, flat tapered, half round, round, square and triangle file.
- Includes storage rack.

| Pieces | Contents |
|--------|--|
| 6 | (1) 3-3/4 in (95 mm) Flat Parallel File (1) 3-1/2 in (90 mm) Flat Tapered File (1) 3-3/4 in (95 mm) Half Round File (1) 3 in (76 mm) Round File (1) 3-3/8 in (86 mm) Square File (1) 3-5/8 in (93 mm) Triangle File |



STANLEY® FLEXIBLE PUTTY KNIVES

- Ergonomic Bi-Material handle.
- Flexible metal tip for even coverage.
- Hardened, tempered and polished steel blade.
- Permanently fastened full tang blade.

| Product # | Blade Width |
|-----------|---------------------|
| 28-207 | 1-9/16 in (40 mm) |
| 28-205 | 3 in (76 mm) |
| 28-208 | 3-15/16 in (100 mm) |





STANLEY® STIFF PUTTY KNIFE

- Ergonomic Bi-Material handle.
- Hardened, tempered and polished steel blade.
- Permanently fastened full tang blade.
- Die-cast metal nail setting end built into handle to set drywall screws.

| Product # | Blade Width |
|-----------|--------------|
| 28-203 | 3 in (76 mm) |



STANLEY® NYLON HANDLE PUTTY KNIVES

- Hardened, tempered and polished steel blade outlasts other putty knives.
- Nylon handle resists shattering.
- Permanently fastened full tang blade.



| Product # | Type | Length | Handle Length | Blade Length | Blade Width |
|-----------|----------|-------------------|------------------|------------------|------------------|
| 28-140 | Stiff | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 1-1/4 in (32 mm) |
| 28-240 | Flexible | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 1-1/4 in (32 mm) |
| 28-141 | Stiff | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 1-1/2 in (38 mm) |
| 28-241 | Flexible | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 1-1/2 in (38 mm) |
| 28-142 | Stiff | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 2 in (51 mm) |
| 28-242 | Flexible | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 2 in (51 mm) |

STANLEY® NYLON HANDLE STIFF SCRAPER

- Hardened, tempered and polished steel blade outlasts other putty knives.
- Nylon handle resists shattering.
- Permanently fastened full tang blade.



| Product # | Type | Length | Handle Length | Blade Length | Blade Width |
|-----------|-------|-------------------|------------------|------------------|--------------|
| 28-139 | Stiff | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 3 in (76 mm) |

STANLEY® NYLON HANDLE FLEXIBLE JOINT KNIVES

- Hardened, tempered, and polished steel blade.
- Permanently fastened full tang blade.
- Nylon handle resists shattering.



| Product # | Type | Length | Handle Length | Blade Length | Blade Width |
|-----------|----------|-------------------|------------------|--------------------|---------------|
| 28-244 | Flexible | 8 in (203 mm) | 3-7/8 in (98 mm) | 4-1/16 in (103 mm) | 4 in (102 mm) |
| 28-246 | Flexible | 8-3/8 in (214 mm) | 3-7/8 in (98 mm) | 4-1/16 in (103 mm) | 6 in (152 mm) |

STANLEY® WOOD HANDLE SCRAPER KNIVES


- Hardened, tempered, taper-grounded and polished high-carbon blade designed for long life.
- Hardwood handle holds up against solvents such as paint thinners.
- Permanently fastened full tang blade.



| Product # | Type | Length | Handle Length | Blade Length | Blade Width |
|-----------|----------|-------------------|------------------|------------------|--------------|
| 28-539 | Flexible | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 3 in (76 mm) |
| 28-543 | Stiff | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 3 in (76 mm) |

STANLEY® WOOD HANDLE STIFF BURN-OFF SCRAPER KNIFE

- Hardened, tempered, and polished steel blade.
- Permanently fastened blade.
- Blade bent at 20° angle for easy paint removal.
- Hardwood handle holds up against solvents such as paint thinner.



| Product # | Type | Length | Handle Length | Blade Length | Blade Width |
|-----------|------------|-------------------|-------------------|-------------------|--------------|
| 28-170 | Stiff Bent | 9-1/4 in (235 mm) | 4-7/8 in (124 mm) | 4-3/8 in (111 mm) | 3 in (76 mm) |

STANLEY® WOOD HANDLE PUTTY KNIVES

- Hardened, tempered, taper-grounded and polished high-carbon blade designed for long life.
- Hardwood handle holds up against solvents such as paint thinners.
- Permanently fastened full tang blade.



| Product # | Type | Length | Handle Length | Blade Length | Blade Width |
|-----------|----------|-------------------|------------------|------------------|------------------|
| 28-540 | Flexible | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 1-1/4 in (32 mm) |
| 28-541 | Stiff | 7-1/2 in (191 mm) | 3-7/8 in (98 mm) | 3-5/8 in (92 mm) | 1-1/4 in (32 mm) |

STANLEY® WOOD HANDLE FLEXIBLE JOINT KNIVES

- Hardened, tempered, taper-grounded and polished high-carbon blade designed for long life.
- Hardwood handle holds up against solvents such as paint thinners.
- Permanently fastened full tang blade.



| Product # | Length | Handle Length | Blade Length | Blade Width |
|-----------|--------------------|--------------------|-------------------|---------------|
| 28-538 | 8-3/16 in (209 mm) | 3-11/16 in (95 mm) | 4-1/2 in (114 mm) | 5 in (127 mm) |
| 28-546 | 8-3/16 in (209 mm) | 3-11/16 in (95 mm) | 4-1/2 in (114 mm) | 6 in (152 mm) |

3 PIECE STANLEY® PLASTIC PUTTY KNIVES

Product #: 28-209

- High-visibility yellow for easy location.
- 3 sizes for any job.

| Pieces | Contents |
|--------|--|
| 3 | (1) 1-31/32 in (50 mm) Putty Knife (1) 3-31/32 in (101 mm) Putty Knife (1) 5-15/16 in (151 mm) Putty Knife |



STANLEY® BENT SCRAPER

- Removable end cap for use with pole.
- Long handle for leverage.
- Spring-tempered blade resists rust.

| Product # | Blade Width |
|-----------|--------------|
| 28-204 | 3 in (76 mm) |



STANLEY® 6-IN-1 PAINT TOOL

- Ergonomic Bi-Material handle.
- Scraper.
- Putty remover.
- Spreader.
- Half round cutout to remove paint from roller.
- Sharp point to open cracks for patching.
- Metal handle end for setting nails.

| Product # | Blade Width |
|-----------|--------------|
| 28-206 | 3 in (76 mm) |



STANLEY® SAFETY GLASS SCRAPER

- Metal design for strength and durability.
- Retractable blade for easy storage.
- Includes 5-pack of razor blades.

| Product # | Blade Width | Width | Length |
|-----------|------------------|--------------------|---------------|
| 28-216 | 1-1/2 in (38 mm) | 1-11/16 in (42 mm) | 4 in (102 mm) |



STANLEY® SOFT GRIP GLASS SCRAPER

- Ergonomic Bi-Material design for comfortable no-slip grip.
- Retractable blade for easy storage.
- Includes 5-pack of razor blades.

| Product # | Blade Width |
|-----------|------------------|
| 28-217 | 1-1/2 in (38 mm) |



STANLEY® MINI GLASS SCRAPER

- High-visibility yellow for easy location.
- Compact design.
- Includes 5-pack of razor blades.

| Product # | Blade Width |
|-----------|------------------|
| 28-218 | 1-1/2 in (38 mm) |



STANLEY® GLASS AND TILE SCRAPER

- Fully retractable blade for storage.
- 3-position slider (closed, open, blade change).
- Ergonomic handle design – comfortable for extended use.
- Bi-Material handle – no-slip grip.
- Thick, durable handle resists bending/breaking.

| Product # | Blade Width |
|-----------|------------------|
| 28-214 | 3-1/2 in (90 mm) |



STANLEY® STRIPPING TOOL

- 6-1/2 cm wide - narrow profile for access in tight spaces.
- High-visibility yellow for easy location.

| Product # | Blade Width |
|-----------|-------------------|
| 28-215 | 2-9/16 in (65 mm) |



STANLEY® 4-EDGE SCRAPER

- Ergonomic Bi-Material handle.
- 4-edge scraper blade.
- High-visibility yellow for easy location.
- Hand knob increases leverage over standard scraper.

| Product # | Blade Width |
|-----------|-------------------|
| 28-213 | 2-9/16 in (65 mm) |



STANLEY® HAND SANDER

- High-visibility yellow for easy location.
- Easy sandpaper loading mechanism.
- Ability to loosen paper retainer enough to adjust paper without fully releasing.

| Product # | Length | Width |
|-----------|---------------|------------------|
| 28-211 | 7 in (178 mm) | 3-5/8 in (93 mm) |





STANLEY® NYLON STRIPPING BRUSH

- Ergonomic handle design – comfortable for extended use.
- Bi-Material handle – no-slip grip.
- Smooth, seamless handle construction.



| Product # | Length | Width |
|-----------|--------------------|--------------------|
| 28-222 | 7-3/16 in (183 mm) | 1-19/50 in (35 mm) |

STANLEY® CARBON STEEL WIRE BRUSH WITH SCRAPER

- Corrosion-resistant.
- Carbon steel wires for durability and strength.
- Ergonomic Bi-Material handle.



| Product # | Length | Width |
|-----------|--------------------|----------------|
| 28-221 | 13-5/8 in (347 mm) | 5/8 in (16 mm) |

STANLEY® LONG HANDLE SCRUB BRUSH

- Ergonomic Bi-Material design for comfortable no-slip grip.
- Curved handle design allows cleaning in hard-to-reach places.



| Product # | Length | Width | Height | Bristle Height |
|-----------|--------------------|---------------|---------------|------------------|
| 28-231 | 11-1/2 in (292 mm) | 4 in (102 mm) | 6 in (152 mm) | 1-1/2 in (38 mm) |

STANLEY® SCRUB BRUSH

- Ergonomic Bi-Material design for comfortable no-slip grip.
- Durable nylon bristles.



| Product # | Length | Width |
|-----------|---------------|----------------|
| 28-233 | 7 in (178 mm) | 3/4 in (19 mm) |

STANLEY® GROUT BRUSH

- Ergonomic Bi-Material handle.
- Thick, durable bristles.
- Curved handle design allows cleaning in hard-to-reach places.



| Product # | Length | Width | Height | Brush Length |
|-----------|-------------------|----------------|------------------|------------------|
| 28-229 | 6-3/4 in (171 mm) | 7/8 in (22 mm) | 3-1/2 in (90 mm) | 11/16 in (17 mm) |

STANLEY® PAINT SCRAPERS

- Lightweight, molded polypropylene paint scraper.
- Textured handle provides a slip-resistant grip.



| Product # | Length | Width | Blade Width | Blade Included |
|-----------|-------------------|------------------|------------------|----------------|
| 28-616 | 7-1/4 in (184 mm) | 1 in (25 mm) | 1 in (25 mm) | (1) 28-631 |
| 28-617 | 8-1/4 in (210 mm) | 1-1/2 in (38 mm) | 1-1/2 in (38 mm) | (1) 28-290 |
| 28-619 | 9-1/8 in (232 mm) | 2-1/2 in (64 mm) | 2-1/2 in (64 mm) | (1) 28-292 |

STANLEY® GLASS AND TILE SINGLE EDGE BLADE

- Includes blade case to store blades.

| Product # | Blades Included | Blade Width | Length |
|-----------|-----------------|------------------|------------------|
| 28-223 | 5 | 11/16 in (18 mm) | 3-1/2 in (90 mm) |



STANLEY® SINGLE EDGE RAZOR BLADE

- Reusable clamshell packaging for storage of blades.
- Steel-backed high-carbon steel blade.

| Product # | Blades Included | Blade Width |
|-----------|-----------------|------------------|
| 28-224 | 10 | 1-1/2 in (38 mm) |



STANLEY® SCRAPER BLADES

- Two-edge blade made of high-carbon steel to maintain maximum sharpness.



| Product # | Blade per Pack | Length | Blade Thickness |
|-----------|----------------|------------------|-----------------|
| 28-290 | 1 | 1-1/2 in (38 mm) | 1/25 in (1 mm) |
| 28-292 | 1 | 2-1/2 in (64 mm) | 1/25 in (1 mm) |

STANLEY® RAZOR BLADE SCRAPER

- Heavy-duty all-metal body construction.
- Blade retracts for safe storage.
- Scraper removes paint, glue, putty or adhesives from glass, tile, walls, floors, or other smooth surfaces.
- Works with these standard Stanley® razor blades: (11-515, 28-510).
- Razor Blades Included (28-510): 5.
- Retractable blade positions: 1.



| Product # | Length | Width | Blade Width |
|-----------|------------------|------------------|------------------|
| 28-500 | 3-5/8 in (92 mm) | 1-3/4 in (44 mm) | 1-1/2 in (38 mm) |

STANLEY® MINI-RAZOR BLADE SCRAPER

- High impact plastic body construction.
- Blade reverses for safe storage.
- High visibility yellow makes it easy to find in a toolbox.
- Quick release blade change.
- Scraper removes paint, glue, putty or adhesives from glass, tile, walls, floors, or other smooth surfaces.
- Works with these standard Stanley® razor blades (11-515, 28-510).
- Razor Blade Included (28-510): 1.
- Fixed Blade Positions: 1.



| Product # | Length | Width | Blade Width |
|-----------|--------------|------------------|------------------|
| 28-100 | 2 in (51 mm) | 1-1/2 in (38 mm) | 1-1/2 in (38 mm) |

STANLEY® WINDOW SCRAPER

- High impact plastic body construction.
- Scraper comes with cap that goes over blade for safe storage.
- Ideal for scraping paint from windows, mirrors, tiles, and other flat surfaces.
- Works with this standard Stanley® utility blade (11-921).
- Utility Blade Included (11-921): 1.
- Fixed blade positions: 1.



| Product # | Length | Width | Blade Width | Color |
|-----------|-------------------|------------------|------------------|-------|
| 28-593 | 6-7/8 in (175 mm) | 2-3/4 in (70 mm) | 2-3/8 in (60 mm) | Black |



STANLEY® DRYWALL TOOL KIT

| Product # | Pieces | Contents |
|-----------|--------|---|
| 28-225 | 5 | (1) 10 in Blue Steel Taping Knife (1) 13-7/8 in Plastic Mud Pan (1) 5-7/8 in Putty Knife (1) 3-7/8 x 2-3/4 in Sponge Sanding Block (1) 2 in Fiberglass Joint Tape |



STANLEY® DRYWALL TAPE KNIFE

- Ergonomic Bi-Material handle.
- 8" edge for complete uniform coverage.



| Product # | Color | Weight | Length | Blade Length | Blade Width |
|-----------|--------------|-----------------|-------------------|--------------|---------------------|
| 28-228 | Black/Yellow | 8.47 oz (240 g) | 9-1/4 in (235 mm) | 3 in (76 mm) | 9-11/25 in (240 mm) |

STANLEY® HEX ROD CAULK GUN

- Strong skeleton body design.
- 1/10-gallon capacity tube.
- Use with most grades of adhesives.
- Easy side loading.
- Convenient thumb release.



| Product # | Color | Length |
|-----------|--------------|---------------------|
| 28-230 | Yellow/Black | 13-7/16 in (332 mm) |

STANLEY® RATCHETING CAULK GUN

- Built-in spout cutter.
- Sealant puncture tool.
- 1/10-gallon capacity.



| Product # | Color | Weight | Length | Material |
|-----------|-------|------------------|--------------------|--------------|
| 28-232 | Black | 13.05 oz (370 g) | 12-1/4 in (311 mm) | Carbon Steel |